

CATALOG 2018



A Better Way





YOUR MOST PRECIOUS RESOURCE....TIME.

And that time should be about relaxing with the people you care about in the places you love. Your days should be free of headaches and full of memories. So join us out on the dock. You're going to like it out here.



Our passion to invent a better way to make life easier
INSPIRES EVERY PRODUCT WE MAKE.

Contents

ALUMINUM DOCKS

Roll-In	4-7
Sectional	8-11
Floating	12-15
Layouts & Accessories	16-19


ALUMINUM BOAT LIFTS

Vertical Winch Lifts	20-23
VSD Lifts	24-27
Pivot Lifts	28-29
Canopy Systems	30-31
Bunk Systems & Guides	32-33
Lift Accessories	34
Specifications	35

Roll-In Docks

WHERE MEMORIES BEGIN

Breathtaking sunrises, astonishing sunsets, and the simple peace that surrounds you. The lake is a special place where hassles and frustrations have no place. That's why we've built our roll-in docks for easy installation and removal – leaving more time for you to create everlasting memories.





Roll-In Docks

Features & Specifications

Aluminum Roll-In Docks – Easy, solid, modular.

For beautiful shorefront appeal and rock-solid stability, a roll-in dock is a smart choice. The modular design gives you the ability to arrange or rearrange, and the mobility makes it easy and hassle-free.



Optional sand pad can replace wheel.

Easy-Level™ Leg Sizing


Leg size	Water & mud depth w/wheels	Water & mud depth w/sand pads	Total travel
Shallow	12"–30"	5"–23"	18"
Medium	18"–46"	11"–39"	28"
Deep	33"–61"	26"–54"	28"
X-Deep	48"–91"	41"–84"	43"
XX-Deep	70"–108"	63"–101"	38"

Wheel kit measurements are calculated with the top of the dock 17" out of the water. If you plan to set the dock higher or lower, add/subtract that amount to/from the depth measurement.



FLOE's Easy-Level™ System

Effortlessly level each dock section independently from the top with a cordless drill.



Double-Braced Legs

Eliminates side-to-side sway. Wide, molded polymer wheels for easy transport will never go flat or rot.

Quick-Connect™ System

Dock sections quickly link together for a straight out dock or to make a custom configuration. Eliminates the process of hard bolting. Individual sections can be moved independently to make installation and removal easy.



Dock Components & Sizes

Configure your dock to meet your exact needs with a wide variety of modular components and sizes.

DOCK SECTIONS	4'X16', 4'X12', 6'X12', 2'X10'
SUNDECKS	8'X16', 8'X12', 8'X8', 4'X8'
SHORE END RAMPS	4'X12', 4'X6', 6'X8'
SHOREWAYS	4'X16', 4'X12', 6'X16', 6'X12'
WEDGES	2', 4', 6'



Aluminum bridge truss design allows for maximum strength-to-weight ratio and so waves can pass through.

Dock Approach Options



Shoreway



Shore End Ramp

Off-Season Storage

Storing your dock is simple. You get the user-friendliness a roll-in naturally provides, along with the compact storage of a sectional product. It's the best of both worlds.







Sectional Docks

WHAT'S YOUR LAKE TIME?

Maybe it's fishing. Or it might be a sunset cruise. Or just dangling your feet off the dock. No matter what time it is, the most important time is family time. That's why our sectional docks are lightweight and easy to assemble – to save you time for the things that matter most.

Sectional Docks

Features & Specifications



Removable Easy-Level™ Legs with Quick Brace™

Remove legs in seconds, without tools, for easy off-season storage.

Aluminum Sectional Docks Are Ideal

If your dock stays in year-round, you have terrain not suited for a roll-in dock, or you need to stack sections in minimal space during the off-season – FLOE's sectional docks are an ideal solution. They provide gorgeous shore appeal and install quickly and easily while providing an exceptional value.

Easy-Level™ Leg Sizing

Leg size	Water & mud depth w/wheels	Total travel
Extra Shallow	8"–22"	14"
Shallow	18"–38"	20"
Medium	26"–54"	28"
Deep	42"–82"	40"

Leg kit measurements are calculated with the top of the dock 17" out of the water. If you plan to set the dock higher or lower, add/subtract that amount to/from the depth measurement.

Dock leg bracket are also available to use with traditional pipe on sectional docks in place of leg kits.

Lightweight for Easy Mobility

Standard dock	Quick-Attach™ dock
8 ft. 97 lbs.	8 ft. 107 lbs.
10 ft. 120 lbs.	10 ft. 129 lbs.
12 ft. 143 lbs.	12 ft. 152 lbs.

Dock Components & Sizes

All sections work for main walkways, sundecks, slips, and shore-end ramps.

DOCK SECTIONS4'X8', 4'X10', 4'X12'
WEDGES..... 4'



FLOE's Easy-Level™ System

Effortlessly level each dock section independently from the top with a cordless drill.

Quick-Attach™ PATENT PENDING

Quick-Connect™ System

Dock sections quickly link together for a straight out dock or to make a custom configuration. Eliminates the process of hard bolting. Individual sections can be moved independently to make installation and removal easy.



Sectional docks are available in standard and Quick-Attach™ models. The Quick-Attach™ system allows for fast installation of accessories and Quick-Connects™.



Easily attach accessories in the track. Quick Attach™ brackets must be purchased to attach accessories.

Stacks in minimal space.



Floating Docks

YOU CAN'T WRITE A SCRIPT BETTER THAN THIS.

Friends laughing on the boat. A refreshing swim. Soaking up the bright sunshine. This is the stuff movies are made of. That's why our floating dock system works so well for deep water depth fluctuations or soft bottoms: so you can keep your picture-perfect day going without a care in the world.






Floating Docks

Features & Specifications



The Engineered Floating Dock is the Way to Go
Whether you have deep water, non-stop settling, or fluctuating water – a floating dock is always self-leveling.



The Best in Float Technology
FLOE's rugged, foam-filled floats are backed by an industry-leading, 15-Year Limited Warranty that exceeds USACOE specifications.



Aluminum Dock Components & Sizes
Configure your dock to meet your exact needs with a wide variety of modular components and sizes.

DOCK SECTIONS	
LENGTHS	16', 20', 24'
WIDTHS	3', 4', 5', 6', 8'
SHORE END RAMPS	3'X12', 4'X12', 5'X12', 6'X8'
(Truss style ramps are also available.)	
GANGWAYS	4'X16', 4'X32'
WEDGES	36", 48"




Completely modular system with FLOE's patented frame incorporating a track on all sides enabling a custom floating dock.




Ramp & Gangway

Provide safe transition from shore to dock. Optional top rails and kick boards also available.



Guide Pole

For water depths less than 10 feet, an optional aluminum guide-pole and mounting bracket system is available for securing and stabilizing dock sections. The guide poles feature an auger for secure anchoring into the bottom, and the bracket allows the dock to raise and lower with ease as water levels fluctuate.



Quick Release Hinge



Patented track system

Patented Track System and Quick Release Hinge


Enjoy the freedom to create a custom system with standard components. Add hinges, guide-poles and other accessories anywhere along the dock's outer frame.

Dock Layouts

Modular design lets you create your dream dock.

FLOE's modular engineering lets you configure sections and components where and when you want them, without any welding and drilling. The result is a custom dock without the custom cost.

Decking Choices



Aluminum





Cedar




Aluma-Grain™

LAYOUT SAMPLES


Shown here are just a fraction of the systems that you can create with FLOE's modular components. See your FLOE dealer or use our Design-a-Dock™ program to create the perfect dock system.




ROLL-IN DOCKS




WEDGES
Make that perfect corner while adding safety and beauty to your system.




SHORE-END RAMPS
Adjustable, pivoting shore-end ramps give you the ultimate approach.



DOCK SHOREWAY
Provides the flexibility of a shore end ramp with the look of a dock section.




DOCK SECTIONS/SUNDECKS
These sections can be used for going straight out as well as making "L" shapes, slips or sundecks.




SUNDECKS
Create extra space at the end of your dock.


FLOATING DOCKS



RAMPS
12' shore-end ramps are available in 3', 4', 5' & 6' widths. 9' ramps are 8' wide. Truss style ramps are also available for floating docks.




WEDGES & SUNDECKS
Other standard floating dock components include 36" & 48" wedges and 8'x8' decks.



DOCK SECTIONS

FLOE floating dock sections are available in the following lengths: 16', 20' & 24'. Each of these lengths is available in the following widths: 3', 4', 5', 6' & 8'.

SECTIONAL DOCKS



See your dealer or use our interactive Design-A-Dock™ program at floeintl.com to create the perfect dock system.



Dock Accessories



Lake Accessory Rack - 2 Tier

- 35 lb. weight capacity per arm.
- Adjustable.
- Add-on arms available.



Lake Accessory Rack - Single

- 35 lb. weight max. per arm.



Aluminum Bench with Arm Rests & Cupholders

Available in grey or Aluma-Grain™.



Flag Pole

Telescoping flag pole
augers to lake bottom.



Canoe/Kayak Rack

Roll-in docks only.

Maximum weight 250 lbs.



Furniture

Three-piece set includes two chairs and a table.

Umbrella sold separately.

Dock Accessories




Dock Steps

4-step, 6-step or 8-step for varying water depths.
Not Available on Floating Docks.



Swim Ladder

58" and 70"



Bumper Edging

Two sets of 10' edging with rivets.



Vertical Bumper

30" and 40" heights.
Grey or Aluma-Grain™.



Corner Bumpers

Horizontal & vertical styles.





Fishing Rod Holder

Mounts onto a FLOE vertical bumper.



Dock Cleats

Side mount and deck mount styles.



Speed Wrench

1 1/8" socket for manually adjusting your dock.



Adjustable Support Posts

2 1/2', 4', 6', 8', and 10' lengths for the shore side of your system.



Shore End Wheel Kit

Makes installation and removal a breeze with no lifting.



Handrails

4', 6', 8', 12' lengths

FLOE Vertical Lifts

THE DAY'S BIGGEST DECISION: SURFING OR FISHING?

If this is the most challenging decision of the day, you've done a few things right for yourself. Lakefront living is a reward for countless smart decisions over the years. Decisions like choosing a FLOE vertical lift with manual or easy push-button lifting technology. Some choices are difficult but sometimes the right answer is obvious.





Vertical Lifts

Standard Features



Vertical Lift Standard Features

FLOE lifts have long lasting stainless fasteners and cables and heavy-duty aluminum pulleys. They can work in shallower water as the lift cradle drops to the outside of the main frame. The patented Easy-Level™ leg adjustment allows for smooth travel of 30" or more.

Easy-Level™ Legs

With the patented Easy-Level™ leveling leg system and a cordless drill you can effortlessly level your lift without getting in the water.



Winch Lifts

Features & Specifications



Manual Winch Kit

Heavy-duty gear-reduced winch with automatic load holding brake features a large crank wheel with speed knob.



12-Volt DC Winch

The push of a button is all it takes to quickly raise and lower your boat.



Available Models

V-2602

This is the finest PWC lift on the market, hands down. It features more bed travel and incorporates all of our V-lift technologies. It can hold two PWCs at adjustable, staggered heights and includes two pair of full-length bunks.

V2000-V4600

Able to accommodate a variety of fishing boats, runabouts, ski boats, jet boats, and pontoons.





FLOE Vertical Screw Drive (VSD) Lifts

TIME MARCHES ON. BUT FOR A MOMENT, IT CAN STAND STILL.


Days turn into weeks. And months become years. It all happens way too fast. Which is why you should spend plenty of time with your feet up, telling stories and having a great time. Squeezing the most out of every day – that's what it's all about. A vertical lift with screw drive technology does its job faster and quieter, saving you precious time. What you do with it is up to you.

VSD Lifts

Features & Specifications

What Makes a VSD Lift The Right Choice?

With the push of a button, you can raise and lower your boat in about half the time of most other powered lifts. A 30' wired remote includes a key switch for security.



Ball-Screw Lift Technology Eliminates Winches and Hydraulics

The sealed gear-head motor within the electric drive train simply spins the screw so the ball nut smoothly travels back and forth as it pulls the lifting cable. That means no cables wearing out, no leaking fluids, and whisper-quiet operation.



Available Models

VSD 3800, 5000, 6000, 6500,
8000 and 10,000.

Contact your local dealer to determine
appropriate size lift for your boat.



VSD-5000 Pontoon

FLOE Pivot Lifts

THE STRONGEST BONDS LAST A LIFETIME.

When you find something of quality, you hold on to it tightly. A durable, extra rigid pivot lift will stand the test of time. Treat it well, and it will treat you well. It will never let you down.



Pivot Lifts

Features & Specifications



Pivot Lift Models Available

PWC-1300

Extra-rigid design is engineered to easily handle up to four passenger PWCs.

P-1200

Lightweight but high-strength, this durable lift is ideal for large PWCs and smaller boats.

P-1600

Its quality, maintenance-free design makes it a great value for your expectations. For small watercraft.

Trouble-free, Economically Sound & Ideal for Small Boats and Personal Water Craft

There's plenty to love when it comes to pivot lifts. Four adjustable leveling legs with 24" of travel connect to a heavy-duty extruded aluminum frame. And all pivot lifts come with a standard manual winch featuring aluminum pulleys and stainless steel fasteners, an automatic load-holding break, and smooth, no-bind operation.



PWC-1300



P-1200



P-1600

Canopy Systems



8 Great Reasons Why FLOE Canopy Systems Give You More For Your Money:

1. Classic styling with a tailor-fit fabric for a refined look.
2. Premium-grade solution-dyed water resistant fabric gives a more luxurious look and weighs 50% less than comparable vinyl.
3. FLOE's exclusive Elastic Tension-Belt™ and Quick-Clip™ fabric attachment system holds canopy taut.
4. Fabric and framework to prevent canopy from blowing in or flying up.
5. Fabric is rip-resistant, urethane coated and UV protected for durability.
6. Full-length seams are heat-sealed to eliminate leaks.
7. Canopy frames adjust vertically and horizontally for perfect coverage.
8. Available in many sizes & offered in green, grey, blue, and black.



Elastic Tension-Belt™ and Quick-Clip™ System

The Quick-Clip™ System lives up to its name with ergonomic finger grips that help you to install and remove your canopy fabric in half the time of other systems. The exclusive Elastic Tension-Belt™ design provides constant tension on the fabric for a smooth and pleasing aesthetic.

Horizontal Fabric Tensioner

Adjustable end pulls fabric taut horizontally and retracts for easy removal.



Mesh End

This smart option is helpful in high-wind environments.

Bird Deterrent

By employing four vertical posts with fishing line, birds are discouraged from getting comfortable on your canopy.

Standard Canopy Colors



Green



Grey




Blue



Black

Maxis™ Canopy Colors



Taupe



Admiral Blue



Forest Green

Introducing the Maxis™ Canopy System

PATENT PENDING

Easy Access Into Your Lift With the Touch of a Button

The Maxis™, with its extremely deep canopy sides, provides more protection – and with the push of a button, you have easy access for boats with towers and bimini tops. Mesh ends and side accents allow air to flow through the canopy. Styles and colors subject to change.



Standard Canopy Extensions

These kits add 18" of side coverage to FLOE's already 24" deep standard canopy systems.

All lifts with canopies should be anchored to minimize potential wind damage.



Bunk Systems

FLOE Bunks Systems

FLOE's bunks are made with strong aluminum extrusions with durable grey vinyl for maximum protection. Most bunks are adjustable vertically and horizontally for a perfect fit for most boats and pontoons.

BOAT BUNKS



Full-Length Bunk System



Cradle Pad Pivot Bunks

PONTOON BUNKS



Pontoon Bunk / Guide-in System

A bunk and guide-in system in one. For 3' of water and greater.



Pontoon Cradle Pad Bunk System

4 sets of cradle pads for water depths as low as 2'.




Guide-ins & Parking Assistants

Stress-Free Landings. Every Single Time.

GUIDE-IN SYSTEMS



Precision-Park™ Horizontal Guide-in System



Pro-Park™ Vertical Guide-in System – Single & Double Guide-ins.

MOTOR & BOW STOPS



Motor Stop



Bow Stop

Installation and Removal Accessories



Float & Roll™ and Insta-Float™ Systems

Float your lift into a slip or long distances.



Boat Lift Wheel Kits

Easily roll your lift into place.



Y-Cable and Tow Extension Cable

Boat Lift Accessories

DC Wireless Remote option

Up to 300' range for operating your lift.



Boat Lift Step

Enter your boat easier.
Slip-proof, adjustable.



Solar Panel

12-Volt and 24-Volt.

VSD Lift Specifications

Lift model	Bed Travel	Inside Width	Outside Width	Outside Length	Leg Travel	Frame Weight	Inside width w/ single vert. Guides	Inside width w/ double vert. Guides	Inside width w/ horiz. Guides	Winch Options		Bunk Options			Canopy Sizes		Guide-in Options		
										24-volt DC VSD	120-volt AC VSD	Cradle Pads	Full Length Bunks	Pontoon Bunks	22', 24', 26', 28', 30'	28', 32', 34'	Pro-Park	Precision-Park	Motor Stop
VSD-3800	53"	116.5"	129"	114"	30"	538	102"	104.5"	102"	X	X	X	X	X	X		X	X	X
VSD-5000	53"	116.5"	129"	114"	30"	569	102"	104.5"	102"	X	X	X	X	X	X		X	X	X
VSD-5000 PONTON	53"	119"	135"	162"	30"	632	103.5"	107"	103.5"	X	X	X		X	X		X	X	X
VSD-6000	60"	131"	147"	131"	35"	747	116.5"	120"	115.5"	X	X	X	X	X	X	X	X	X	X
VSD-6500	60"	119"	135"	131"	35"	731	103.5"	107"	103.5"	X	X	X	X	X	X	X	X	X	X
VSD-8000	60"	119"	135"	131"	35"	731	103.5"	107"	103.5"	X	X	X	X	X	X	X	X	X	X
VSD-10000	53"	131"	147"	167"	35"	1010	116.5"	120"	115"	X	X	X				X	X	X	X

Winch Lift Specifications

Winch Lift Specifications										Winch Options		Bunk Options			Canopy Sizes			Guide-in Options		
Lift model	Bed Travel	Inside Width	Outside Width	Outside Length	Leg Travel	Frame Weight	Inside width w/ single vert. Guides	Inside width w/ double vert. Guides	Inside width w/ horiz. Guides	Crank Wheel	12-volt DC	Cradle Pads	Full-Length Bunks	Pontoon Bunks	12', 14'	20', 22', 24'	20', 22', 24', 26', 28', 30'	Pro-Park	Precision-Park	Motor Stop
V-2602	50"	116.5"	129"	66"	30"	268	102"			36"	X	X	X		X			X		X
V-2000	50"	98"	109"	102"	30"	225	82"	84.5"	82"	36"	X	X	X			X		X		X
V-3600	50"	116.5"	129"	114"	30"	372	102"	104.5"	102"	42"	X	X	X	X			X	X	X	X
V-4600	50"	116.5"	129"	114"	30"	414	102"	104.5"	102"	42"	X	X	X	X			X	X	X	X

Pivot Lift Specifications

Lift model	Bed Travel	Inside Width	Outside Width	Outside Length	Leg Travel	Frame Weight	Inside width w/ single vert. Guides
PWC-1300	28"	55"	64"	61"	24"	130	48"
P-1200	28"	70"	74"	91"	24"	175	63"
P-1600	32"	83.5"	88"	91"	24"	220	75.5"



WWW.FLOEINTL.COM



FLOE
INTERNATIONAL

©2017 FLOE International - All Rights Reserved.
Specifications subject to change without notice.
01.18 P/N 500-90040